

# Coffee



# V60 Coffee Dripper

Widely recognized around the world, the V60 pour over

Why the cone shape?

The cone shaped paper filter adds depth to the coffee layer, so that the water flows to the center, expanding the amount of time the water is in contact with the ground coffee.



## VD-01W

C/T48 724204  
W115 • D100 • H82  
top opening diameter 95  
1 - 2cups



## VD-01R

724228



## VD-02W

C/T48 724303  
W137 • D116 • H102  
top opening diameter 116  
1 - 4cups



## VD-02R

724327



## VD-01T

C/T48 723016  
W115 • D100 • H82  
top opening diameter 95  
1 - 2cups



## VD-02T

C/T48 723023  
W137 • D116 • H102  
top opening diameter 116  
1 - 4cups



## VD-03T

C/T36 723030  
W157 • D137 • H122  
top opening diameter 137  
1 - 6cups

V60 Glass Dripper & Pot / CLAIR



**VDGN-01B**

C/T24 724747  
 W129 • D110 • H78  
 top opening diameter 97  
 1 - 2cups



**VDGN-02B**

C/T24 724778  
 W132 • D115 • H96  
 top opening diameter 115  
 1 - 4cups

V60 Glass Dripper

V60 Glass Dripper and Pot / CLAIR

The V60 Glass Dripper and Pot / CLAIR can be used to casually enjoy pour over coffee. You have three colors to choose from including turquoise, coral and purple.



**VGS-3512-TC**

C/T12 142534  
 W133 • D101 • H145  
 Dripper : 1 - 2cups  
 Pot : practical capacity 360ml



**VGS-3512-CO**

142527



**VGS-3512-PU**

142541



**VDC-01W**  
 C/T40 723115  
 W119 • D100 • H82  
 top opening diameter 95  
 1 - 2cups



**VDC-01R**  
 724013



**VDC-02W**  
 C/T36 723122  
 W140 • D120 • H102  
 top opening diameter 116  
 1 - 4cups



**VDC-02R**  
 724037



For microwave



Do not expose to open flames



**VDS-3012W**  
 C/T12 142251  
 W130 • D107 • H174  
 Dripper : 1 - 2cups  
 Pot : practical capacity 360ml



**VDS-3012R**  
 142268

## V60 Ceramic Dripper



For hot drink



**VDG-01W**

C/T24 724402  
W124 · D110 · H78  
top opening diameter 97  
1 - 2cups



**VDG-01R**

724464



**VDG-01B**

724419



**VDG-02W**

C/T24 724426  
W128 · D115 · H95  
top opening diameter 115  
1 - 4cups



**VDG-02R**

724471



**VDG-02B**

724433



**VDG-03B**

C/T24 724525  
W165 · D138 · H115  
top opening diameter 136  
1 - 6cups

# V60 Glass Dripper

**VDM-02HSV**

C/T12 724129  
W145 • D120 • H90  
top opening diameter 120  
1 - 4cups

**VDM-02BC**

724136

**VDM-02CP**

724143

**VDP-02CP**

C/T12 724150  
W135 • D120 • H92  
top opening diameter 120  
1 - 4cups

## V60 Metal Dripper

### Special metal design series for the V60 Coffee Dripper

This is the metal series of the V60 Dripper. This stainless steel dripper has 3 colors including silver, black and copper. We also have an authentic copper dripper as well. The light yet durable metal dripper has good thermal conductivity, which makes it quick to warm up during extraction, and helps to drip efficiently



40 sheets

**VCF-01-40W**

C/T10 × 30 723214  
1 - 2cups



40 sheets

**VCF-02-40W**

C/T10 × 24 723221  
1 - 4cups



40 sheets

**VCF-03-40W**

C/T10 × 18 723238  
1 - 6cups



40 sheets

**VCF-01-40M**

C/T10 × 30 723245  
1 - 2cups



40 sheets

**VCF-02-40M**

C/T10 × 24 723252  
1 - 4cups



40 sheets

**VCF-03-40M**

C/T10 × 18 723269  
1 - 6cups



100 sheets

**VCF-01-100MK**

C/T5 × 20 723801  
1 - 2cups



100 sheets

**VCF-02-100MK**

C/T5 × 16 723818  
1 - 4cups



100 sheets

**VCF-01-100W**

C/T150 723313  
1 - 2 cups



100 sheets

**VCF-02-100W**

C/T120 723320  
1 - 4 cups



100 sheets

**VCF-03-100W**

C/T100 723337  
1 - 6 cups



100 sheets

**VCF-01-100M**

C/T150 723344  
1 - 2 cups



100 sheets

**VCF-02-100M**

C/T120 723351  
1 - 4 cups



100 sheets

**VCF-03-100M**

C/T100 723368  
1 - 6 cups



## Lovedori means to make a cup of coffee for someone from your heart

Pour over coffee takes some effort, but this is the reason it tastes so good. Enjoy this experience with somebody, and it will surely make everyone happy.



### VCFL-02-20W

C/T300 (10 × 30) 726314  
1 - 4cups (02size)

20 sheets




## We aimed for an easy to use paper filter holder

The slope at the bottom makes it easy to take out the paper filter. Small contact surface between the paper filter and the stand keeps it sanitary. 100 sheets of paper filters can be stored in this holder.



### VPS-100W

C/T24 723924  
W165 · D68 · H100



Very little surface contact keeps it clean.



The body is sloped on the bottom, making it easy to take out individual filters.

## Canister



For hot drink



### MCN-200R

C/T24 413672  
φ 99 · H 142  
top opening diameter 96  
coffee grounds 200 g  
full capacity 800ml



### MCN-200B

413627



### MCN-300R

C/T24 413689  
φ 99 · H 189  
top opening diameter 96  
coffee grounds 300 g  
full capacity 1,000ml



### MCN-300B

413634

# V60 Coffee Server



For microwave



Do not expose to open flames



### VCS-01B

C/T24 019119  
W162 · D114 · H110  
top opening diameter 92  
practical capacity (below band) 450ml  
microwave safe including lid



### VCS-02B

C/T24 019126  
W180 · D125 · H133  
top opening diameter 92  
practical capacity (below band) 700ml  
microwave safe including lid



### VCS-03B

C/T24 019133  
W185 · D137 · H157  
top opening diameter 92  
practical capacity (below band) 1,000ml  
microwave safe including lid



### XVD-36B

C/T24 019805  
W130 · D107 · H106  
top opening diameter 85  
practical capacity 360ml  
1 - 3cups  
microwave safe including lid



### XVD-60B

C/T24 019812  
W137 · D121 · H128  
top opening diameter 85  
practical capacity 600ml  
2 - 5cups  
microwave safe including lid



### XVD-80B

C/T24 019829  
W143 · D132 · H145  
top opening diameter 85  
practical capacity 800ml  
2 - 6cups  
microwave safe including lid



### XGS-36TB

C/T24 020108  
W130 · D107 · H99  
top opening diameter 77  
practical capacity 360ml  
1 - 3cups  
microwave safe including lid



### XGS-60TB

C/T24 020115  
W145 · D121 · H120  
top opening diameter 77  
practical capacity 600ml  
2 - 5cups  
microwave safe including lid



### XGS-80TB

C/T24 020122  
W150 · D129 · H138  
top opening diameter 77  
practical capacity 800ml  
2 - 6cups  
microwave safe including lid

## A Coffee pot designed with safety in mind, and compatible with commercial machines

A spout made of resin which is easy to pour and has good water flow.  
The lid is a single-push type that enables easy opening and closing.  
The handle is a safe two-banded design. Made with heatproof glass, this coffee pot is dishwasher safe.



Includes detachable cap.



Large opening that is easy to wash.



For hot drink



### CDH-18CBR

C/T12 171527  
W210 · D165 · H173  
top opening diameter 90  
practical capacity (below band) 1,800ml

## Easy to pour, coffee drip kettle with a slim spout

This drip kettle with a slim spout makes it easier to control the amount and speed of hot water being poured, making it useful when brewing a V60.

Compatible with IH Cooking Heaters.




### VKB-100HSV

C/T12 021136  
W295 • D144 • H130  
top opening diameter 77  
practical capacity 600ml

### VKB-120HSV

C/T12 021006  
W274 • D144 • H147  
top opening diameter 77  
practical capacity 800ml



**new**

### VKBN-90CP

C/T6 021099  
W290 • D126 • H145  
top opening diameter 71  
practical capacity 700ml



## V60 Drip Thermometer

Know accurate temperature while pouring with a V60 Drip Kettle

The key to brewing tasty hand dripped coffee is managing the weight, time and temperature. The V60 Drip Thermometer allows for thermometry even while dripping. Measure the temperature at the root of the nozzle.

Compatible with the VKB-100HSV, VKB-120HSV, and EVKB-80HSV



**new**

**VTM-1B (Display in Celsius)**  
**VTM-1B-U (Display in Fahrenheit)**

C/T24 021181 (1B) / 021198 (1B-U)

[Thermometer]

W 45 • D 107 • H 140

[Thermometer+ Lid]

W 83 • D 107 • H 140



The thermometer and lid are detachable.



Real time digital display



Measure the temperature at the root of the nozzle.



**EVKB-80U-HSV (For the United States)**  
**EVKB-80E-HSV (For Europe)**

C/T6 021143 (80U) / 021150 (80E)

W 295 • D 156 • H 175


top opening diameter : 77

capacity : minimum 150ml maximum 800ml

## V60 Coffee Maker

### Pursuing the great taste of pour over coffee

We pursued the delicious flavors of pour over coffee as much as possible in our V60 Coffee King Coffee Maker. With the stable brewing of the V60 drip coffee, you can easily enjoy pour over coffee in your own home.



21 drip points that enables hot water can be poured onto the entire surface of the coffee grounds.



### High temperature extraction system.

Water in the tank is circulated and heated to 65°C then passes through the heater to the drip holes. Hot water from the drip holes rises to about 95°C and then reaches the optimum temperature of about 93°C inside the dripper. Using this hot water, the procedure includes 30 seconds of moistening, followed by roughly 3 minutes of dripping. A dual layered tank is employed for high thermal insulation.

**new**

**EVCM-5TB**

C/T2 403147

W 230 • D 240 • H 327

the most small capacity 300ml

the maximum capacity 750ml

2 - 5cups

# Coffee Mill

## Important preparations before brewing coffee

All manual coffee grinders use mills made of ceramic. Ceramic mills keep the temperature down when grinding and can be easily rinsed with no potential rusting. Coffee mill size, material and variations are all important items for deliciously brewed coffee.



### MSS-1B

C/T24 707405  
W150 · D72 · H220  
top opening diameter 70  
coffee grounds 24g 2cups  
A washable grinder



### MCD-2

C/T12 707337  
W143 · D88 · H208  
coffee grounds 35g



### CM-502C

C/T12 707467  
W152 · D104 · H231  
coffee grounds 40g



### MSCS-2TB

C/T12 707108  
W172 · D93 · H231  
top opening diameter 90  
coffee grounds 100g  
A washable grinder



### MCS-1

C/T12 707344  
W148 · D98 · H210  
top opening diameter 81  
coffee grounds 10g



### MM-2

C/T24 707504  
W160 · D100 · H185  
top opening diameter 79  
coffee grounds 24g



### CMHN-4

C/T20 707320  
W208 · D105 · H215  
top opening diameter 79  
coffee grounds 120g

The glass is not heatproof glass.



### MXR-2TB

C/T12 707627  
W183 · D75 · H175  
coffee grounds 40g

A washable grinder

# Coffee Mill

## Ceramic and olive wood coffee mill

This coffee mill features a combination ceramic hopper and olive wood container, highlighting a balance between nature and design.



Choose the fineness of coffee grounds you like by turning the control knobs.

**new**  
**MCW-2-0V**

C/T12 707375  
W 167 • D 85 • H 215  
coffee grounds 30g

A washable grinder



The slim middle makes it easy to grip while grinding the coffee.



## Electric blade coffee grinder

Its safe design does not allow it to start moving unless the lid is firmly closed. The electric cord can be stored at its bottom, making the product compact. This mill enables you to easily enjoy fresh-brewed coffee at home.



**new**  
**EMC-3HSV**

C/T12 401891  
W 102 • D 112 • H 184  
coffee grounds 30g



Just push the switch once, and the coffee grounds are ready.



The cord can be stored at the bottom.





**new**  
**VSA-1SV**

C/T12 021372  
W 120 • D 136 • H 168



**new**  
**VSA-1B**

021396



**new**  
**VSA-1GD**

021389



**new**  
**VSA-1006-SV**

C/T6 021402  
W 120 • D 150 • H 220

## Coffee Stand

A coffee drip stand for pour over



**VAS-1**

C/T12 021235  
W 195 • D 140 • H 215



**VAS-8006-G**

C/T6 021327  
W 190 • D 155 • H 250



**VAS-8006-HSV**

C/T6 021242  
W 190 • D 155 • H 250



**VSS-1T**

C/T12 021228  
W 132 • D 140 • H 180

The V60 drip scale can be set together and used.



**Olive Wood Series**



**VSS-1-OV**

C/T6 021204  
W 145 • D 160 • H 230



**VSS-1206-OV**

C/T6 021259  
W 156 • D 160 • H 248



## Coffee accessory V60 UCHI Mug



### Stainless steel mug with dual layer thermal vacuum insulation

Adopting a lid with a drink spout, you can enjoy your freshly dripped coffee without losing its heat.



#### VUW-35HSV

C/T24 222212  
φ 74 · H 156  
top opening diameter 70  
practical capacity 350ml

#### VUW-35B

222229



Sectional view: dual layer vacuum thermal insulating structure.



By taking off the lid, you can directly hand drip coffee into it.



Lid with a drink spout

### Heatproof shot glasses for professional use

This is a simple heatproof shot glass designed for use with commercial espresso machines.



For hot drink



#### SGS-80

C/T6 × 8 240834  
φ 60 · H 70  
top opening diameter 60  
full capacity 80ml



#### SGS-140

C/T6 × 8 240841  
φ 69 · H 90  
top opening diameter 69  
full capacity 140ml





# Drip Scale

## Requirements for brewing delicious coffee

In order to brew delicious coffee, quantity and extraction time are essential. The V60 drip scale is used to simultaneously measure both of these factors.

\*The V60 metal drip scale is equipped with a rechargeable battery and has a backlight design.



Timer Scale

Both extraction quantity and extraction time can be measured simultaneously.



Due to its thinness, compact storage is possible.



### VST-2000B

C/T20 021211  
W 120 • D 190 • H 29  
unit of display : 2 - 2000 g  
maximum count up time :  
99 minutes 59 seconds



The stainless weighing platform can be removed by turning.



Dirt is easily wiped off, and care for the device is simple.



### VSTM-2000HSV

C/T20 021310  
W 120 • D 175 • H 31  
unit of display : 2 - 2000 g  
maximum count up time :  
99 minutes 59 seconds



### M-12SV

C/T48 716223  
W 96 • D 53 • H 35  
full capacity 12g



### M-12CP

C/T48 716230



## Cloth Drip

Due to the slow extraction of coffee through the fine and delicate cotton flannel, it never compromises on the acidity, bitterness, and flavor from the bean's original characteristics. Furthermore, you will be able to feel the coffee's rich taste from the coffee oils, which is an advantage to this method.



Medium grind coffee grounds

Let the coffee grounds expand.

Cloth filter : Cotton flannel

● After using the filter cloth, please rinse thoroughly. Place the filter in a container with clean water and store it inside the refrigerator.

※ This is to prevent oxidation of the oil of the remaining coffee grounds on the cloth filter.  
 ※ The cloth filter can be replaced.



For hot drink



### DPW-1

C/T12 331723  
 φ 95 · H 168  
 top opening diameter 93  
 practical capacity 240ml  
 1 - 2cups



### DPW-3

C/T12 331730  
 φ 110 · H 195  
 top opening diameter 101  
 practical capacity 480ml  
 3 - 4cups

## Cloth Drip Olive wood series



For hot drink



### DPW-1-OV

C/T12 131811  
 φ 95 · H 168  
 top opening diameter 93  
 practical capacity 240ml  
 1 - 2cups



### DPW-3-OV

C/T12 131828  
 φ 110 · H 195  
 top opening diameter 101  
 practical capacity 480ml  
 3 - 4cups



## Olive wood series



For hot drink



**new**

### VDG-01-OV

C/T24 724532  
 φ 120 · H 77  
 top opening diameter 97  
 1 - 2 cups



**new**

### VDG-02-OV

C/T24 724549  
 φ 120 · H 95  
 top opening diameter 115  
 1 - 4 cups



For hot drink



### VCWN-40-OV

C/T24 019324  
 W 177 · D 118 · H 104  
 top opening diameter 88  
 practical capacity 400ml



### VCWN-60-OV

C/T24 019331  
 W 182 · D 128 · H 121  
 top opening diameter 88  
 practical capacity 600ml

## Press Coffee

Because coffee presses extract coffee oils, a main flavor ingredient in coffee, you can enjoy the individuality of the coffee beans. The olive wood design creates an atmosphere of luxury and relaxation.



For hot drink



### CPSW-2-OV

C/T12 153714  
 W 114 · D 80 · H 170  
 top opening diameter 73  
 practical capacity 300ml  
 2 cups



### CPSW-4-OV

C/T12 153721  
 W133 · D95 · H186  
 top opening diameter 90  
 practical capacity 600ml  
 4 cups



### DGC-40-OV

C/T12 221901  
 φ 128 · H 224  
 top opening diameter 99  
 practical capacity 400ml  
 3 cups



### Authentic coffee made with style

The dripper is based on the V60 cone shape. You can enjoy the ease of the paper filter pour over, brewing directly into a carafe. The silicone band can be removed and washed. The dripper is designed to stand by itself.



For hot drink



#### VDD-02B

C/T12 142558  
 W 135 · D 125 · H 198  
 top opening diameter 115  
 practical capacity (below band) 700ml  
 1 ~ 4cups



### Extract the coffee with a simple press The coffee press

Place course ground coffee, and moisten with boiling water for approximately one minute. The longer the moistening time, the richer the taste will be.

※ Pour the boiling water gently along the wall of the glass. Press the knob down slowly after approximately two minutes.



For hot drink



#### CPSS-2-TB

C/T24 153608  
 W113 · D78 · H172  
 top opening diameter 74  
 practical capacity 240ml  
 1 ~ 2cups



#### CPSS-2-R

153615

## Authentic aroma without paper filters

Introducing a specialized stainless mesh that can extract coffee oil which is one of the components of coffee's great flavor. This enables you to enjoy the true aroma unique to coffee.



Dripper structure



Compact storage



Graduated measuring scale inside.



For hot drink



### CFOD-1B

C/T24 171404  
W 115 • D 110 • H 82 (includes the attachment)  
1 cup



### CFO-1B

C/T24 171077  
W118 • D96 • H148  
top opening diameter 82  
practical capacity 200ml  
1 cup



### CFOD-02-B

C/T24 171473  
W121 • D135 • H105  
1 - 4 cups



### CFOD-02-R

171626



For hot drink



### CFO-2B

C/T24 171008  
W150 • D105 • H171  
top opening diameter 96  
practical capacity 300ml  
2 cups



put in the coffee grounds



Start pour over




Close the lid and directly pour.



## A coffee siphon with outstanding presentation

While enjoying a rich aroma, you can also visually enjoy the coffee moving up and down through the glass bowl. If the extraction times are the same, there is little difference in flavor, making this apparatus a favorite amongst professionals.



**MCA-3**  
C/T10 525016  
W165 • D115 • H290  
top opening diameter 72 (upper)  
practical capacity 360ml  
3cups



**TCA-2**  
C/T12 503014  
W160 • D95 • H320  
top opening diameter 87 (upper)  
practical capacity 240ml  
2cups



**TCA-3**  
C/T12 503113  
W160 • D95 • H333  
top opening diameter 87 (upper)  
practical capacity 360ml  
3cups



**TCA-5**  
C/T12 503212  
W160 • D110 • H360  
top opening diameter 101 (upper)  
practical capacity 600ml  
5cups



**DA-1SV**  
C/T12 511002  
W138 • D88 • H188  
top opening diameter 67 (upper)  
practical capacity 120ml  
1cup



## New Style Coffee Syphon

The Coffee Syphon Next and the Coffee Syphon Hario Sommelier both come with the stainless metal and cloth filter assemblies. The Coffee Syphon Hario Sommelier is different from past syphons, as it is designed in the image of a wine decanter, so that you can enjoy the aroma of the coffee.



※The handle is made of rubber and gives you a firm grip.

### NXA-5

C/T12 502918  
W115 · D180 · H390  
top opening diameter 109 (upper)  
practical capacity 600ml  
5cups


\* Comes with a metal filter and a cloth filter.



### SCA-5

C/T4 502901  
W150 · D186 · H355  
top opening diameter 130 (upper)  
practical capacity 600ml  
5cups

\* Comes with a metal filter and a cloth filter.



### RCR-50

C/T6 536302  
W264 · D139 · H190  
top opening diameter 100  
raw beans 50 g



**Every drop creates the finest coffee**

The slow dripping thoroughly extracts the flavor of the coffee, with a design that easily compliments a modern interior. The coffee's strength can be changed by adjusting the faucet.



Moisten the coffee grounds before extracting.



Use the faucet to adjust dripping rate.



For hot drink



**WDC-6**

C/T6 163201  
W150 · D129 · H455  
top opening diameter 77  
finished capacity 780ml  
2 - 6 cups



**WDW-6**

C/T6 163225  
W205 · D135 · H475  
top opening diameter 77  
finished capacity 780ml  
2 - 6 cups



For hot drink



**PTN-5BZ**

C/T6 163379  
W190 · D170 · H290  
top opening diameter 82  
practical capacity 600ml  
5 cups



Place coffee grounds.



The faucet makes it easy to use.



## Special coffee starts with the first drip

The water drips for 5 hours, extracting 2000ml of coffee into two flasks.  
The dripping rate during extraction can be adjusted using the faucet located on both sides.



For hot drink



### WDW-20

C/T1 163232

W290 · D230 · H980

top opening diameter 105 (upper bowl)

finished capacity 2,000ml

20cups



# Filter-in Coffee Bottle

## Cold Brewed Coffee



### Wine bottle shaped cold brew coffee bottle

Just by adding coffee grounds and water, you can make iced coffee. Put coffee grounds in the strainer, and place the lid. Set the spout and pour small amounts of water inside. Once the water is poured, put the stopper and gently shake the bottle to start the extraction. Refrigerate for approximately 8 hours for the cold-brew to complete.



The strainer can be removed. The upper parts are designed to put a lid on the bottom strainer.



Align the strainer with the spout.



Pour directly.



For hot drink



#### FIC-70-MC

C/T24 033436  
W87 · D84 · H300  
top opening diameter 71  
finished capacity 650ml  
5cups only



#### FIC-70-CBR

033443



## Cold Brew Coffee

### Cold brew coffee jug and pitcher

Just by adding coffee grounds and water, you can make iced coffee. Place coffee grounds in the strainer, and set the lid and spout. Slowly pour water into the carafe until full and refrigerate for approximately 8 hours for the cold brew to complete.



Pour coffee while the strainer is attached.  
(CBS-10)



Attach the strainer to the spout.  
(CBC-10)



Pour the coffee after removing the strainer.  
(CBC-10)



For hot drink



**new**

**CBS-10HSV**

C/T24 036871

W 100 • D 94 • H 290

top opening diameter 88

finished capacity 1,000ml

8 cups only



For hot drink



**new**

**CBC-10SV**

C/T12 165021

W 152 • D 103 • H 310

top opening diameter 88

finished capacity 1,000ml

8 cups only

## V60 Glass Iced Coffee Maker



### V60 Glass Iced Coffee Maker

Iced coffee maker, in which coffee is cooled with ice while it drips. The long strainer containing ice cools the dripping coffee. This coffee maker is made with transparent materials only. Enjoy iced coffee with a clear taste in a cool manner!



For hot drink




A ring holder made of transparent silicon rubber is attached to the upper section of the dripper.

**new**  
**VIG-02T**

C/T12 142671  
W 165 · D 120 · H 235  
top opening diameter 116  
practical capacity 700ml

When you brew hot coffee, just remove the ice strainer.



## Just shake it, and make foamed milk

A manual shaker milk frother. Fill the cup to the measurement mark with cold milk. Set up the filter and the upper and lower cups and shake well for about 20-30 seconds. This will make smooth, foamed milk for cappuccinos and lattes. By transferring the foam milk inside a microwave safe container and heating it up, you can enjoy it with hot drinks as well.



### LS-70-OW

C/T24 402768  
 $\varnothing$  72 • H 173  
 top opening diameter 68  
 practical capacity - milk 70ml

(This can make foamed milk for 2 cups of cappuccino.)



### LS-70-PC

402799



Pour cold milk up to the measurement marking.



shake well for about 20-30 seconds.



Top off your favorite drink.

## Fluffed up milk in a blink of an eye

Microwave milk until it is 40-60°C. Use the following guidelines-500W approximately 50-60 seconds, 600W approximately 40-50 seconds. Tilt slightly and press the button, foaming the milk for 30-40 seconds. This will make smooth foamed milk for cappuccinos and lattes.



### CZ-1

C/T24 402737  
 $\varnothing$  75 • H 221



Milk measurement marking visible from the inside.



The lid can be used as an equipment holder.



Can be poured directly into a cup.



For microwave



### QQT-45

C/T24 402751  
 W 145 • D 105 • H 205  
 top opening diameter 81  
 practical capacity - milk 100ml

(This can make foamed milk for 3 cups of cappuccino.)